



Shopware 6: Dynamic CMS element

by Martini Webdesign

Installation, setting and modification of the content



Table of Contents

1	in	stallat	ion Guide	3
	1.1	Syste	m requirements	3
	1.2	insta	llation	3
2	Se	etting	up the app	4
	2.1	Addir	ng to a world of experience (CMS page)	4
	2.2	Open	settings	5
	2.3 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	Basic 3.1 3.2 3.3 3.4 3.5 3.6 3.7 Globo 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 4.10	settings	6 6 6 7 10 11 12 13 13 14 15 16 17 18 19 19 20 20
	2.	4.10	Global settings for the "Textbox" element	20
	2.5 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	Colur. 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10 5.11	nn type column options Settings for all column types (if the animation has been activated in the global block settings) . Column settings for the element "Image, heading, text" Column settings for the element "Animated grid layout" Column settings for the element "Tile layout" Column settings for the "Service box" element Column settings for the "Table" element Column settings for the "Price table" element Column settings for the "Price table" element Column settings for the "Counter" element Column settings for the "Employee" element Column settings for the "Stopper" element Column settings for the "Textbox" element Column settings for the "Textbox" element	21 21 22 23 24 26 27 28 29 30 31 32
3	cc	ontact	details	33

List of figures

Figure 1: Install the app	3
Figure 2: Activate the app	3
Figure 3: Embed block in CMS page	4
Figure 4: Open settings	5
Figure 5: Adjusting the section width	6
Figure 6: Column options	6
Figure 7: Background without	7
Figure 8: Background color	7
Figure 9: Background image	8
Figure 10: Setting the minimum height	9
Figure 11: Transition options	10
Figure 12: Animation option	11
Figure 13: Global content settings	13
Figure 14: Global settings image, heading, text	13
Figure 15: Global settings for animated grid layout	14
Figure 16: Global settings for tile layout	15
Figure 17: Global settings service box	. 16
Figure 18: Global settings table	17
Figure 19: Global settings price table	. 18
Figure 20: Global counter settings	19
Figure 21: Global employee settings	. 19
Figure 22: Global settings stopper	20
Figure 23: Animation direction settings	21
Figure 24: Column settings Image Heading Text	22
Figure 25: Column settings animated grid layout	23
Figure 26: Column settings for tile layout text	24
Figure 27: Column settings tile layout image	25
Figure 28: Service box column settings	26
Figure 29: Table column settings	27
Figure 30: Price table column settings	28
Figure 31: Counter column settings	29
Figure 32: Employee column settings	30
Figure 33: Column settings stopper	31
Figure 34: Column settings text box	32

1 installation Guide

1.1 System requirements

At least the following system configuration is required for the installation of our Shopware Custom-CMS-Block-App:

- PHP 7.2 or higher
- Shopware 6.3.0 or higher

1.2 installation

There are two options for installing the app:

- Adding via the App Manager in the backend To do this, you first have to connect the App Manager to your Shopware account. You can then use the apps purchased for this domain. You can now add the app via "Load app".
- Add via SFTP

Download the .zip file of the app from your Shopware account and unzip it on your PC / laptop. Then you have to start an SFTP client and copy the unzipped folder into the following directory of your Shopware installation: SHOPWARE ROOT VERZEICHNIS / custom / plugins /

After both variants, you still have to install the app. You can find the added app under "My extensions" and you can install it using the context button and then activate it.



Illustration 2: Activate the app

2 Setting up the app

2.1 Adding to a world of experience (CMS page)

Open or create a Adventure World page on which the block should be displayed. Then open the block editor and select the "Dynamic CMS Element" tab in the "Block Category" selection menu. Drag and drop the block into the desired area of the page.

\oplus		Î	Blöcke	
 		Ð	Block-Kategorie	
		0	Dynamisches CMS Element	
		9		
	Boloffe Bo	80 80		
Fuge Blöcke per Drag & Drop hinzu				
			Dynamisches CMS Element	

Illustration 3: Include block in CMS page

2.2 Open settings

Open the block settings		
		Deutsch 🗸 Speichern
\oplus	٥	Block-Einstellungen ×
	Ð	Allgemein 🗸
	0	🔁 Duplizieren 💼 Löschen
	۲	Block-Name 📀
4-Spaltig	∞°	Gib einen Namen ein
Illustration 4: Open settings		ni ne gunaina

5

2.3 Basic settings

In the "Basic Settings" tab you can make various block settings.

2.3.1 General CMS section settings

If a background with transition is to be selected for the block, it often looks nicer if this block runs over the entire width of the page. To set this, the CMS section must be set to its full width. (The content block can then, if desired, be set narrower (in point 2.3.2)

	$_{\odot}$	Ô	Sektion-Einstellungen	×
		•	Allgemein	v
•		0	Duplizieren 📵 Lösche	en
			Sektionsname	0
	4-Spaltig	æ		
	init autonoingtunagoos - cover		CSS-Klassen	0
	and a second and a second a second a			
			Größenmodus	0
			Volle Breite Zentrierter inhalt	~
	Headline 3 Headline 3 Headline 4		Vote Brete	

Illustration 5: Adjust the section width

2.3.2 Column options

Spaltenoptionen

3								``
Breite der Spalte einstellen 1	4/12	G	~	Breite der Spalte einstellen 2	4/12	~		
Breite der Spalte einstellen 3	4/12		~					

Illustration 6: Column options

- Number of columns: Enter a number of columns from 1-6. You can also add or remove further columns later without losing the data of the columns entered so far.
- Width of the columns: By default, the same width is always preselected for the columns. You can adjust the column width individually. Note, however, that the maximum column width is 12, e.g. 3x 4/12 or 2x 5/12 and 1x 2/12 (each with three columns)
- Reduce content width: This setting is useful if you have set the CMS sector to full width (as in point 2.3.1). When this option is activated, the background remains across the entire width, but the columns are displayed in boxed mode (not across the full width)
- 2.3.3 Background options

Here you can make the settings for the block background:

- No background

Hintergrund-Optionen

Hintergrund a	auswählen	
O Ginen	Farbe	🔘 Bild

Illustration 7: Background without

_

Unite remained as a second by			
Hintergrund auswahl	en en		
Keinen O F	Bild		
	43		
#ffffff			
Earbyorlauf für	Hintorgrund ainstallon?		
	nintergrund einstellen:		
Farbe für Hintergrund	dverlauf einstellen		

Illustration 8: Background color

Above you set the main background color. If you activate the gradient, you can set the second color for the gradient in the lower field. The course always runs from left to right. (The colors set here are automatically adopted for the transitions when the transition is activated (point 2.3.5))

- picture

Hintergrund auswanten	
ν2	
	Dateien hochladen
	Medien öffnen
·····	
Hintergrundbildmodus auswanien	
Cover	
Hintergrundposition auswählen	
Fest	

Illustration 9: Background image

Select an image from your library above or upload a new one. In the background mode you can set whether the image should be displayed over the entire screen size or just over the width of the screen.

- Cover = entire screen
- Contain = the image is adjusted to the width of the screen

With the background position you can set whether the background should be fixed or scrollable.

2.3.4 Height options

Here you can set a minimum height for the block. Just enter a value in px (enter without px e.g. 500)

Höhenoptionen

 Benutzerdefinierte Mindesthöhe für Block einstellen? 		
Min-Höhe in px eingeben		

Illustration 10: Set the minimum height

2.3.5 Transition options

Here you can define a stylish transition of the block. The main colors are taken from these settings, provided that "Color" has been specified as the background.

Übergangsoptionen

) Jbergangstyp auswählen	
Wellen	v
Übergang oben anzeigen?	
) intergrundfarbe des oberen Übergangs einstellen	
#fffff	
Übergang unten anzeigen?	
3 Iintergrundfarbe des unteren Übergangs einstellen	
######	

Illustration 11: Transition options

- Activate / deactivate transition
- Choose a transition type. You can get more information via the question mark
- Deactivate / activate the upper transition
- Set background color. This setting should only be changed if the main design is not based on a white background.
- Deactivate / activate the lower transition
- Set background color. This setting should only be changed if the main design is not based on a white background.

2.3.6 Animation option

Here you can set whether the elements should be displayed via an animation. You also define the duration of the animation here. You can set the animation direction in the respective column element.

Optionen für die Animation

0				
Animation für	Spaltenelemente einsc	halten?		
Zeitdauer in Sekund	len einstellen z. B. 1.5			
0.8				

Illustration 12: Animation option

11

2.3.7 Column type

Here you can set the desired element for the block. The pictures show you a preview of a possible layout.

Please note that with the counter block only one block can be used per CMS page.



2.4 Global content settings of the block type

As soon as you have selected a column type from point 2.3.7, further tabs for the configuration appear at the top. The number of tabs with "Column" depends on the settings from point 2.3.2.

Element-Einstellungen	I.				×
Globale Einstellungen	Globale Inhaltseinstellungen	Spalte 1	Spalte 2	Spalte 3	

Illustration 13: Global content settings

2.4.1 Global settings for the element "Image, heading text"

Globale Bildeinstellungen

Runde	Ecken anzeigen?			
ckenrundu	ing in Prozent einstellen			
20				
	\searrow			
🖸 Benut	zerdefinierte Breite für Bi	ld einstellen?		
proito fiir Di	ld in ny oinstellen			
ieite iui bi	id in px einstellen			
300	ia in px einstellen			
300	ia in px einsteaen			
300	ia in px enstellen			
300	ia în preinstellen			

Textfarbe	für Überschrift einstellen #4a545b
-	

Illustration 14: Global settings image, heading, text

- Active "round corners" to create a curve in the pictures. Enter the degree of rounding below from 0-50
- If you want to set your own image width for the images, activate the option and enter the width in px (entry without px e.g. 300)
- Change the colors of the headings via the global text settings. You can enter the color of the actual texts later in the editor of the column option

2.4.2 Global settings for the element "Animated grid layout"

Globale Rasterlayout-Einstellungen

		~
💽 Sep	arate Textfarbe für Bildsektion einstellen?	
Textfarbe	einstellen	
	#222	
Sep	arate Buttonfarbe einstellen?	
lintergru	ndfarhe des Ruttons einstellen	
	#008490	
Textfarbe	des Buttons einstellen	
	#fff	
Hintergru	ndfarbe des Buttons beim hover einstellen*	
	#00616a	
Textfarbe	des Buttons beim hover einstellen*	
F extfarbe	des Buttons beim hover einstellen*	

Illustration 15: Global settings for animated grid layout

- Background image size:

Choose whether the image within the column should be scaled over the size of the entire page or whether the image should be scaled to the block width

- Cover: full width
- Inherhit: width of the block
- Set colors for all elements of text color and button color. You can also activate individual colors via the respective options. The global settings disappear and you can configure the colors in the respective column options.

2.4.3 Global settings for the element "Tile layout"

Globale Bildeinstellungen

Runde Ecken anzeige	n?		
Eckenrundung in Prozent e	instellen		
20			
G			
Benutzerdefinierte B	reite für Bild einstellen?		
Breite für Bild in px einstell	en		
300			
300			

Globale Texteinstellungen

Textfarbe	e für Überschrift einstellen	
	#4a545b	

Illustration 16: Global settings tile layout

- Active "round corners" to create a curve in the pictures. Enter the degree of rounding below from 0-50
- If you want to set your own image width for the images, activate the option and enter the width in px (entry without px e.g. 300)
- Change the colors of the headings via the global text settings. You can enter the color of the actual texts later in the editor of the column option

2.4.4 Global settings for the "Service Box" element

Globale Service ox-Einstellungen

Farbe der Service-Box einstellen #0bbbc1 Textfarbe der Servicebox einstellen #222 Textfarbe des Buttons einstellen #fff	Sep:	arate Service-Box-Farbe einstellen?		
#0bbbc1 Textfarbe der Servicebox einstellen #222 Textfarbe des Buttons einstellen #fff	arbe der	Service-Box einstellen		
Textfarbe der Servicebox einstellen #222 Textfarbe des Buttons einstellen #fff		#0bbbcl		
Textfarbe des Buttons einstellen #fff	Fextfarbe	der Servicebox einstellen #222		
#fff	[extfarbe	des Buttons einstellen		
		#fff		

Illustration 17: Global settings service box

Enter the colors for the service boxes here, if they should all have the same color. Activate the option "Separate service box colors" and you can set individual service box colors in the column options.

2.4.5 Global settings for the "Table" element

Globale Tabelleneinstellungen

Anzahl der Tabellenspalten einstellen 🧿	\triangleright	
5		
Anzahl der Tabellenzeilen einstellen 👩		
5		
Ausrichtung des Tabelleninhalts einstellen		
Mitte		~
Farbe des Textes einstellen		
#fffff		
Farbverlauf in der Tabelle anzeigen?		
Hauptfarbe für Tabelle einstellen		
#2980b9		
Verlaufsfarbe für Tabelle einstellen		
#2c3e50		

Illustration 18: Global settings table

- Enter the number of table columns (maximum 10)
- Enter the number of table columns
- Choose the alignment of the text within the columns
- Set the text color
- Set the background color and, if necessary, a background color gradient. The color gradient always runs from left (main color) to right (gradient color)

2.4.6 Global settings for the "Price table" element

Globale Einstellungen der Preistabelle

Anzahl der Merkmale einstellen			
3			~
Jerkmal 1			
ilerkinar 1			
ferkmal 2			
/lerkmal 3			
Duris Jahl annaisean)			
Preis ab anzeigen?			
Zaine wiederlachene de Zahlung			
Zeige wiederkenrende Zanlung?			
Nähle wiederkehrende Zeit aus			
			Š
wöchentlich			
monatlich			
quartalsweise			
halbjährlich			
janriich			

Illustration 19: Global settings price table

- Select the number of features (maximum 10)
- Depending on the number of features, enter the text for the feature
- Show the text "Price from" in the table
- Show recurring payments and select them in the dropdown

2.4.7 Global settings for the "Counter" element

bale Zał	nlereinstellungen 💫
_	
 Ber 	utzerdefinierte Hintergrundfarbe für Elemente festlegen?
Hintergru	indfarbe einstellen
\mathbf{z}	transparent
🔵 Ber	nutzerdefinierte Textfarbe für Elemente einstellen?
Textfarbe	einstellen
	#222
_	
O Ber	utzerdefinierte Symbolfarbe für Elemente festlegen?
Farbe dei	Symbole einstellen
	#4a545b

Illustration 20: Global settings counter

- Select the colors for the counters here, provided they should always be the same color. With the respective option you can set individual color settings and then adjust them in the respective column options.
- 2.4.8 Global settings for the "Employee" element

Globale Einstellungen für Teammitglieder

Zeige Mail?	
Zeige Facebook?	
Zeige Instagram?	

Illustration 21: Global settings employees

- Deactivate / activate the respective options for the display in the front end

2.4.9 Global settings for the "Stopper" element

Globale Stopperelement-Einstellungen

	2 einstellen
	#222
Se Se	parate Buttonfarbe einstellen?
Hintergr	undfarbe des Buttons einstellen
	#008490
Textfarb	e des Buttons einstellen
	#fff
Hintergr	undfarbe des Buttons beim hover einstellen*
	#00616a
Toutforb	2 des Buttons beim hover einstellen*
rextiarb	

Illustration 22: Global settings stopper

Adjust the colors for all columns here. If you use several columns for this element and want different colors, you can activate the respective options and set the colors in the column options.

2.4.10 Global settings for the "Textbox" element

This element currently has no global settings. All settings can be set in the column options.

2.5 Column type column options

2.5.1 Settings for all column types (if the animation has been activated in the global block settings)

Optionen für die Elementanimation

Wähle	en Sie die Animationsrichtung	
	1~	
Link	is l	5
Rec	hts	
Obe	en de la companya de	
Unte	en	
Erso	cheinen	

Illustration 23: Settings animation direction

The value set here corresponds to the start of the animation of the column when scrolling.

2.5.2 Column settings for the element "Image, heading, text"

Optionen für den Inhalt

Inhaltsbild einstellen	\triangleright	
Text für Überschrift eingeben		
Inhaltstext einstellen		
A ∼ 🔝 B I 😐 ∓	X* X. Ξ ∨ •∃ 1∃ Ø ⊞	ê ê d
		0 Zeichen

Illustration 24: Column settings Image Heading Text

- Select an image from your media library or upload a new one.
 Please note that only a dummy image is displayed in the admin preview and not the uploaded / selected image.
- Enter the text for the headline
- Enter the text for the text area. You can use all editor options here, e.g. color, text size, font style and much more

2.5.3 Column settings for the element "Animated grid layout"

Optionen für den Inhalt

ext für Überschrift eingeben		
naltstext einstellen	\Im	
A ∽ 🔄 B I 및 ∓ X X, Ξ ∽ •≣ 19 0	e 🖽	ο ο
		0 Zeichen
RL einzeben*		
https://example.com or /mysite		
ingabe Button text		

Illustration 25: Column settings Animated grid layout

- Select an image from your media library or upload a new one.
 Please note that only a dummy image is displayed in the admin preview and not the uploaded / selected image.
- Enter the text for the headline
- Enter the text for the text area. You can use all editor options here, e.g. color, text size, font style and much more
- Enter the URL and the visible text of the button and choose whether the link should be opened in a new browser tab

2.5.4 Column settings for the element "Tile layout"

Optionen für den Inhalt

16X	
nh shetast sinetallan	
	a
N.D.D.T.T.Y.W.F.H.D.A.	
	0 Zeiche
C Zeige Button?	
IRL eingeben*	
https://example.com.or/mysite	
ingabe Button text	
ingabe Button text	
ingabe Button text	
ingabe Button text D Link in einer neuen Registerkarte öffnen?"	
ingabe Button text	
ingabe Button text D Link in einer neuen Registerkarte öffnen?* Yosition des Buttons	
ingabe Button text Link in einer neuen Registerkarte öffnen?" Position des Buttons	
ingabe Button text	
ingabe Button text Link in einer neuen Registerkarte öffnen?* vosition des Buttons Separate Buttonfarbe einstellen?	
ingabe Button text Link in einer neuen Registerkarte öffnen?* sosition des Buttons Separate Buttonfarbe einstellen? tintergrundfarbe des Buttons einstellen	
ingabe Button text Link in einer neuen Registerkarte öffnen?* tosition des Buttons Separate Buttonfarbe einstellen? intergrundfarbe des Buttors einstellen	
ingabe Button text Link in einer neuen Registerkarte öffnen?" Position des Buttons Separate Buttonfarbe einstellen? intergrundfarbe des Buttons einstellen	
ingabe Button text Link in einer neuen Registerkarte öffnen?* Position des Buttons Separate Buttonfarbe einstellen? Aintergrundfarbe des Buttons einstellen Postfarbe des Buttons einstellen Postfarbe des Buttons einstellen	``````````````````````````````````````
ingabe Button text Link in einer neuen Registerkarte öffnen?* vosition des Buttons Separate Buttonfarbe einstellen? tinter grundfarbe des Buttons einstellen cattarbe des Buttons einstellen	
ingabe Button text Link in einer neuen Registerkarte öffnen?* rosition des Buttons Separate Buttonfarbe einstellen? intergrundfarbe des Buttons einstellen vertarbe des Buttons einstellen vertarbe des Buttons einstellen	
ingabe Button text Link in einer neuen Registerkarte öffnen?* Austion des Buttons Separate Buttonfarbe einstellen? intergrundfarbe des Buttons einstellen extfarbe des Buttons einstellen	
ingabe Button text Link in einer neuen Registerkarte öffnen?" Assition des Buttons Separate Buttonfarbe einstellen? intergrundfarbe des Buttons einstellen intergrundfarbe des Buttons beim hover einstellen'	
ingabe Button text Link in einer neuen Registerkarte öffnen?* Austion des Buttons Separate Buttonfarbe einstellen? tintergrundfarbe des Buttons einstellen tintergrundfarbe des Buttons beim hover einstellen'	
iingabe Button text I Link in einer neuen Registerkarte öffnen?* Austion des Buttons Separate Buttonfarbe einstellen? Kintergrundfarbe des Buttons einstellen Kintergrundfarbe des Buttons beim hover einstellen* Kintergrundfarbe des Buttons beim hover einstellen*	
ingabe Button text Link in einer neuen Registerkarte öffnen?* tosition des Buttons Separate Buttonfarbe einstellen? intergrundfarbe des Buttons einstellen intergrundfarbe des Buttons beim hover einstellen* extfarbe des Buttons beim hover einstellen*	

Illustration 26: Column settings tile layout text

- Text selection:
 - Enter the text for the text area. You can use all editor options here, e.g. color, text size, font style and much more
 - Enter the URL and the visible text of the button and choose whether the link should be opened in a new browser tab
 - Determine the position of the button

- Set whether you want to have separate button colors or whether the settings should be adopted from your theme.
- Selection picture:

Optionen für den Inhalt

Text oder Bild anzeigen?		
Bild		~
nhaltsbild einstellen		
9		_
		2

Illustration 27: Column settings tile layout image

• Select an image from your media library or upload a new one.

Please note that only a dummy image is displayed in the admin preview and not the uploaded / selected image.

2.5.5 Column settings for the "Service box" element

Optionen für den Inhalt

ontawsome-Symbol einzeben	
iehen Sie zur <u>FontAwesome-Website</u> und kopieren Sie ein beliebiges Element. . Suchen Sie ein passendes Symbol in der Liste . Tippen Sie auf den HTML-Code . Gehen Sie zurück zum Admin und fügen Sie ihn ein siehe Hilfetext für weitere Informationen) ext für Überschrift eingeben	
nhaltstext einstellen	
$\mathbb{A} \lor \boxtimes$ B $I \ \sqcup \ \mp \ X^* \ X_* \ \equiv \lor \ \circ \exists \ 1 \exists \ \mathscr{O} \ \boxplus$	φ φ
	0 Zeichen
RL eingeben*	
https://example.com or /mysite	
ingabe Button text	
Link in einer neuen Registerkarte öffnen?*	

Illustration 28: Column settings service box

- Enter the value for the icon. You can find out how this works in the description or as a small video if you go over the question mark
- Enter the text for the headline
- Enter the text for the text area. You can use all editor options here, e.g. color, text size, font style and much more
- Enter the URL and the visible text of the button and choose whether the link should be opened in a new browser tab

Tobias Martini - Martini Webdesign

2.5.6 Column settings for the "Table" element

Werte in Tabelle eingeben

	Spalte 1	Spalte 2	Spalte 3	
Überschrift				
Reihe 1				
Reibe 2				
Reihe 3				
Reibe 4				
Reihe 5				
<		[2	>

Illustration 29: Table column settings

- Here you can enter the values as in a normal table. Note that you have to scroll to the right depending on the number of columns

2.5.7 Column settings for the "Price table" element

Einstellungen für die Preistabelle

ext fur Uberschnit eingeben	
arbe der Preistabelle einstellen	
1	
extfarbe der Preistabelle einstellen	
Z	
iraio filo Desista halla sis sa han	
reis für Preistabelle eingeben	
Vahr / Falsch von Merkmalen setzen	
eature:	0
eature:	0

Illustration 30: Column settings price table

- Enter the text for the headline
- Choose the background and text color of the pricing table
- Enter the value for the pricing table
- Set whether the features are included in the price. When deactivated, a small red x appears in the frontend and when activated a green tick appears

2.5.8 Column settings for the "Counter" element

Artikelzähler-Optionen

Contawsome-Symbol eingeben	
, , , , , , , , , , , , , , , , , , , ,	
Sahan Sia zur EontAwasoma-Mahsite und konieren Sia ein heliahiuas Flement	
L. Suchen Sie ein passendes Symbol in der Liste	
. Tippen Sie auf den HTML-Code	
. Gehen Sie zurück zum Admin und fügen Sie ihn ein	
siehe Hilfetext für weitere Informationen)	
Fext für Uberschrift eingeben	
Vert eingeben, bis zu dem gezählt werden soll	

Illustration 31: Column settings Counter

- Enter the value for the icon. You can find out how this works in the description or as a small video if you go over the question mark
- Enter the value up to which you want to count

2.5.9 Column settings for the "Employee" element

Einstellungen für Teammitglieder

Inhaltsbild einstellen			
			2
Name des Teammitglieds eingeben			
Position des Teammitglieds eingeber			
Mailadresse eingeben			
Facebook-Adresse eingeben			
Instrument Adverse singshop			
mstagrani-Adresse eingeben			

Illustration 32: Employee column settings

- Please note that only a dummy image is displayed in the admin preview and not the uploaded / selected image.
- Enter the name and position of the team member
- Enter the employee's email, Facebook and Instagram address (depending on the global settings of this block, some fields may not be displayed here

2.5.10 Column settings for the "Stopper" element

Einstellungen des Stopperelements

ihaltstext einstellen	
▲ ~ 図 B I 単 干 X* X. 三 ~ 03 19 @ 田	2 G O
	0 Zeichen
RL eingeben"	
RL eingeben* https://example.com or /mysite	
IRL eingeben* https://example.com or /mysite	
IRL eingeben* https://example.com or /mysite ingabe Button text	
IRL eingeben* https://example.com or/mysite ingabe Button text	
RL eingeben* https://example.com or /mysite ingabe Button text	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?*	
IRL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?*	
IRL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen	
IRL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* tintergrundfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen ktfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen extfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen	
RL eingeben* https://example.com or /mysite ingabe Button text Link in einer neuen Registerkarte öffnen?* intergrundfarbe des Buttons einstellen extfarbe des Buttons einstellen intergrundfarbe des Buttons beim hover einstellen* extfarbe des Buttons beim hover einstellen*	

Illustration 33: Column settings stopper

- Enter the text for the headline
- Enter the text for the text area. You can use all editor options here, e.g. color, text size, font style and much more
- Enter the URL and the visible text of the button and choose whether the link should be opened in a new browser tab
- Set whether you want to have separate button colors or whether the settings should be adopted from your theme.

2.5.11 Column settings for the "Textbox" element

Einstellungen für Textelemente

A~ 🛛	в	I Ц	- <u></u>	X, X	6 ≡ ~ •3	17	e	8				Ð	G,	Φ
												0) Zeic	:her

Illustration 34: Column settings text box

- Enter the text for the text area. You can use all editor options here, e.g. color, text size, font style and much more

3 contact details

You can reach our service for this app at: support@martini-webdesign.de

You can find our imprint here:<u>https://www.martini-webdesign.de/impressum.html</u>